

Figure 1

FIG. 1





Figure 2

Figure 3






Figure 4




Figure 6




Figure 5




Figure 7

7/10




Figure 8




Figure 9




Figure 10

Destination Tag	Container	Attribute	Detail element	Min occurrences	Max occurrences	Element format type	Element size	Source of data 1	Source of data n
Invoice	true		false	1	1				
InvoiceHeader	true		false	1	1				
InvoiceType	false	type	false	1	1			if fieldA=I then "Invoice" else "credit note"	
InvoiceNumber	false		true	1	1	text	35	fieldC	
Party	true	who	true	2	n			"supplier"	"buyer"
PartyID	false		true	0	1	text	80	"id" from db	fieldB
Name	false		true	1	1	text	60	"name" from db	null
Street	false		true	1	1	text	60	"street" from db	fieldE
City	false		true	1	1	text	60	"city" from db	fieldF
Region	false		true	1	1	text	60	"region" from db	fieldG
PostCode	false		true	1	1	text	60	"postcode" from db	fieldH
Ref	false	value	true	0	n	text	80	"OT" + "QN" + fieldM	"OT" + fieldK
InvoiceDetails	true		false	1	1				
Line	true		false	1	n				
PartNumber	false		true	0	1	text	35	fieldP[(L-1)*1]	
Quantity	false		true	0	1	text	15.3	fieldP[(L-1)*1 + 1]	
UnitPrice	false		true	0	1	number	18.3	fieldP[(L-1)*1 + 2]	
LineSubTotal	false		true	0	1	number	18.3	fieldP[(L-1)*1 + 3]	
Total	false		true	0	1	number	18.3	fieldT	

Figure 11